

PHOENIX
TATTOO REMOVAL
← →
SKIN REVITALIZATION

PicoSure Laser Tattoo Removal Pretreatment & Post-treatment Instructions

Patient Name: _____ DOB: _____

Precautions to take before your laser treatment:

- No sun exposure, tanning beds and self tanning creams, for 4 weeks prior to treatment. Sun exposure decreases the effectiveness of the laser treatment and can increase the chance of post-treatment complications.
- Treatment area should be clean shaven of hair prior to appointment
- Use a broad spectrum UVA/UVB sunscreen with a SPF of 50 or higher. Apply to the treated area every 2 hours when exposed to the sun and it is recommended to make this a part of your skin care routine.
- No Antibiotics or/need to be off any antibiotics for at least 3 days.
- Must be off Accutane at least 6 months

Instructions following your laser treatment for Tattoo Removal:

- Blistering is very common, do not pick or pop area. If blisters occur, keep the area moist by applying Aquaphor 3 times per day
- Avoid all sun exposure to the treated area. Sun exposure may cause hypo or hyper pigmentation. Use broad spectrum UVA/UVB sunscreen with an SPF of 50 or higher. Apply to the treated area every 2 hours when exposed to the sun and it is recommended to make this a part of your skin care routine.
- Wash hands before touching the treated area.
- Cleanse the treated area at least daily with water and mild soap, and then pat the area dry. Apply a non-stick pad with medical tape over the tattoo until it is healed.
- Itching and scabbing is normal. Scabbing may last 7-14 days. **DO NOT PICK, PEEL, OR SCRATCH** the treated area as it could cause scarring or changes of the natural skin color. Removing the scab will increase healing time. If located in a high friction area, keep covered and do not shave area until completely healed.
- If itchiness develops and is irritating, you may apply a Benadryl cream after the first week of treatment and cover area. * DO NOT USE CORTISONE CREAM
- Apply Aquaphor ointment to the area 2-3 times a day. Keep the area moist, and let the crusting/scabbing resolve on its own.
- Discomfort may be relieved by cold gel packs and/or an over the counter pain reliever, such as acetaminophen (Tylenol).
- Do not bump or stretch the treated area. Avoid contact sports or any other activity that could cause injury.
- Avoid swimming, soaking or using hot tubs/whirlpools until the skin heals.
- Please call or text Judi if there is any indication of infection (redness, tenderness, or pus) or any other concerns you may have 480-313-4443

Patient Signature: _____ Date: _____
(Or legal guardian)

PHOENIX
TATTOO REMOVAL
← & →
SKIN REVITALIZATION

PicoSure Laser Tattoo Removal Pretreatment & Post-treatment Instructions

Precautions to take before your laser treatment:

- **No sun exposure, tanning beds and self tanning creams**, for 4 weeks prior to treatment. Sun exposure decreases the effectiveness of the laser treatment and can increase the chance of post-treatment complications.
- Treatment area should be clean shaven of hair prior to appointment
- Use a broad **spectrum UVA/UVB sunscreen with a SPF of 50 or higher**. Apply to the treated area every 2 hours when exposed to the sun and it is recommended to make this a part of your skin care routine.
- No Antibiotics or/need to be off any antibiotics for at least 3 days.
- Must be off Accutane at least 6 months

Instructions following your laser treatment for Tattoo Removal:

- Blistering is very common, do not pick or pop area. If blisters occur, keep the area moist by applying Aquaphor 3 times per day
- Avoid all sun exposure to the treated area. Sun exposure may cause hypo or hyper pigmentation. Use broad spectrum UVA/UVB sunscreen with an SPF of 50 or higher. Apply to the treated area every 2 hours when exposed to the sun and it is recommended to make this a part of your skin care routine.
- Wash hands before touching the treated area.
- Cleanse the treated area at least daily with water and mild soap, and then pat the area dry. Apply a non-stick pad with medical tape over the tattoo until it is healed.
- Itching and scabbing is normal. Scabbing may last 7-14 days. **DO NOT PICK, PEEL, OR SCRATCH** the treated area as it could cause scarring or changes of the natural skin color. Removing the scab will increase healing time. If located in a high friction area, keep covered and do not shave area until completely healed.
- If itchiness develops and is irritating, you may apply a Benadryl cream after the first week of treatment and cover area. * **DO NOT USE CORTISONE CREAM**
- Apply Aquaphor ointment to the area 2-3 times a day. Keep the area moist, and let the crusting/scabbing resolve on its own.
- Discomfort may be relieved by cold gel packs and/or an over the counter pain reliever, such as acetaminophen (Tylenol).
- Do not bump or stretch the treated area. Avoid contact sports or any other activity that could cause injury.
- Avoid swimming, soaking or using hot tubs/whirlpools until the skin heals.
- Please call or text Judi if there is any indication of infection (redness, tenderness, or pus) or any other concerns you may have 480-313-4443

******Patient Copy******